## **RAW SEQUENCE LISTING**

The Biotechnology Systems Branch of the Scientific and Technical Information Center (STIC) no errors detected.

Application Serial Number:	10/568.055
Source:	1FWO.
Date Processed by STIC:	4/5/07

# ENTERED



**IFWO** 

**RAW SEQUENCE LISTING**PATENT APPLICATION: **US/10/568,055**DATE: 04/05/2007

TIME: 07:49:03

```
3 <110> APPLICANT: Cambridge University Technical Services Limited
      4
              Doherty, Aidan
              Della, Marina
              Weller, Geoffrey
      6
              Jackson, Stephen
      9 <120> TITLE OF INVENTION: Prokaryotic DNA Repair Ligases
     11 <130> FILE REFERENCE: 6947-73362-01
     13 <140> CURRENT APPLICATION NUMBER: US 10/568,055
     14 <141> CURRENT FILING DATE: 2006-02-10
     16 <150> PRIOR APPLICATION NUMBER: PCT/GB2004/003349
     17 <151> PRIOR FILING DATE: 2004-08-02
     19 <150> PRIOR APPLICATION NUMBER: US 60/494,088
                                                                 see po
     20 <151> PRIOR FILING DATE: 2003-08-12
     22 <160> NUMBER OF SEQ ID NOS: 90
     24 <170> SOFTWARE: PatentIn version 3.1
     26 <210> SEQ ID NO: 1
     27 <211> LENGTH: 10
     28 <212> TYPE: PRT
     29 <213> ORGANISM: Artificial sequence
     31 <220> FEATURE:
     32 <223> OTHER INFORMATION: Conserved motif
W--> 33 <400> SEQUENCE: 1
     34 Arg Leu Val Phe Asp Leu Asp Pro Gly Glu
     37 <210> SEQ ID NO: 2
     38 <211> LENGTH: 10
     39 <212> TYPE: PRT
     40 <213> ORGANISM: Artificial sequence
     42 <220> FEATURE:
     43 <223> OTHER INFORMATION: Conserved motif
W--> 44 <400> SEQUENCE: 2
     45 Ser Gly Ser Lys Gly Leu His Leu Tyr Thr
     46 1
     48 <210> SEQ ID NO: 3
     49 <211> LENGTH: 6
     50 <212> TYPE: PRT
     51 <213> ORGANISM: Artificial sequence
     53 <220> FEATURE:
     54 <223> OTHER INFORMATION: Conserved motif
W--> 55 <400> SEQUENCE: 3
     56 Lys Val Phe Val Asp Trp
     57 1
     59 <210> SEQ ID NO: 4
```

### RAW SEQUENCE LISTING DATE: 04/05/2007 PATENT APPLICATION: US/10/568,055 TIME: 07:49:03

	60	<211> LENGTH: 20	
	61	<212> TYPE: DNA	
	62	<213> ORGANISM: Artificial sequence	
		<220> FEATURE:	
	65	<223> OTHER INFORMATION: Primer	
W>	66	<400> SEQUENCE: 4	
		atgcgagcca tttggacggg	20
		<210> SEQ ID NO: 5	
		<211> LENGTH: 25	
	71	<212> TYPE: DNA	
	72	<213> ORGANISM: Artificial sequence	
		<220> FEATURE:	
		<223> OTHER INFORMATION: Primer	
W>		<400> SEQUENCE: 5	
		ggatcctcac ggaggcgttg ggacg	25
		<210> SEQ ID NO: 6	2,7
		<211> LENGTH: 20	
		<212> TYPE: DNA	
		<213> ORGANISM: Artificial sequence	
		<220> FEATURE:	
		<223> OTHER INFORMATION: Primer	
w		<400> SEQUENCE: 6	
W>		atgggttcgg cgtcggagca	20
		<210> SEQ ID NO: 7	20
		<211> LENGTH: 26	
		<212> TYPE: DNA	
		<213> ORGANISM: Artificial sequence	
		<220> FEATURE:	
		<223> OTHER INFORMATION: Primer	
w		<400> SEQUENCE: 7	
M>		tcctcattcg cgcaccacct cactgg	26
		<210> SEQ ID NO: 8	26
		<211> LENGTH: 15	
		<211> LENGTH: 15 . <212> TYPE: DNA	
		<pre>&lt; &lt;213&gt; ORGANISM: Artificial sequence</pre>	
		<pre>&lt;220&gt; FEATURE:</pre>	
rat .		<223> OTHER INFORMATION: Oligonucleotide	
w>		<400> SEQUENCE: 8	
		ctgcagctga tgcgc	15
		<210> SEQ ID NO: 9	
		<211> LENGTH: 20	
		<212> TYPE: DNA	
		<213> ORGANISM: Artificial sequence	
		<220> FEATURE:	
		<223> OTHER INFORMATION: Oligonucleotide	
N>		<400> SEQUENCE: 9	
		atccggcgca tcagctgcag	20
		<210> SEQ ID NO: 10	
	120	<211> LENGTH: 25	

25

### RAW SEQUENCE LISTING

DATE: 04/05/2007

PATENT APPLICATION: US/10/568,055 TIME: 07:49:03

Input Set : A:\10.568055 Seq List.txt Output Set: N:\CRF4\04052007\J568055.raw

- 121 <212> TYPE: DNA
- 122 <213> ORGANISM: Artificial sequence
- 124 <220> FEATURE:
- 125 <223> OTHER INFORMATION: Oligonucleotide
- W--> 126 <400> SEQUENCE: 10
  - 127 agtcgatcct gcgcatcatc tgcag
  - 129 <210> SEQ ID NO: 11
  - 130 <211> LENGTH: 41
  - 131 <212> TYPE: DNA
  - 132 <213> ORGANISM: Artificial sequence
  - 134 <220> FEATURE:
  - 135 <223> OTHER INFORMATION: Oligonucleotide
- W--> 136 <400> SEQUENCE: 11
  - 137 acceggggat cegtacagte tateeggege ateagetgea q . 41
    - 139 <210> SEQ ID NO: 12
    - 140 <211> LENGTH: 50
    - 141 <212> TYPE: DNA
    - 142 <213> ORGANISM: Artificial sequence
    - 144 <220> FEATURE:
    - 145 <223> OTHER INFORMATION: 50mer substrate
- W--> 146 <400> SEQUENCE: 12
  - 147 gtaacaaagt ttggattgct actgaccgct ctcgtgctcg tcgctgcgtt 50
- 149 <210> SEQ ID NO: 13
  - 150 <211> LENGTH: 50
  - 151 <212> TYPE: DNA
  - 152 <213> ORGANISM: Artificial sequence
  - 154 <220> FEATURE:
  - 155 <223> OTHER INFORMATION: Oligonucleotide
- W--> 156 <400> SEQUENCE: 13
  - 157 gtctgtctca ctattagaac cctttagagt catgcgtcgc gaggcaacgc 50
  - 159 <210> SEQ ID NO: 14
  - 160 <211> LENGTH: 43
  - 161 <212> TYPE: DNA
  - 162 <213> ORGANISM: Artificial sequence
  - 164 <220> FEATURE:
  - 165 <223> OTHER INFORMATION: Oligonucleotide
- W--> 166 <400> SEQUENCE: 14
  - 167 gcctcgcgac gcatgactct aaagggttct aatagtgaga cag 43
  - 169 <210> SEQ ID NO: 15
    - 170 <211> LENGTH: 41
    - 171 <212> TYPE: DNA
    - 172 <213> ORGANISM: Artificial sequence
    - 174 <220> FEATURE:
    - 175 <223> OTHER INFORMATION: Oligonucleotide
- W--> 176 <400> SEQUENCE: 15
  - 177 gcgacgagca cgagagcggt cagtagcaat ccaaactttg t
  - 179 <210> SEQ ID NO: 16
  - 180 <211> LENGTH: 50
  - 181 <212> TYPE: DNA

41

### RAW SEQUENCE LISTING DATE: 04/05/2007 PATENT APPLICATION: US/10/568,055 TIME: 07:49:03

		<213> ORGANISM: Artificial sequence	
		<220> FEATURE:	
	185	<223> OTHER INFORMATION: Oligonucleotide	
M>	186	<400> SEQUENCE: 16	
		gtaacaaagt ttggattgct actgaccgct ctcgtgctcg tcgctgcgtt	50
	189	<210> SEQ ID NO: 17	
	190	<211> LENGTH: 52	
	191	<212> TYPE: DNA	
	192	<213> ORGANISM: Artificial sequence	
	194	<220> FEATURE:	
	195	<223> OTHER INFORMATION: Oligonucleotide	
W>	196	<400> SEQUENCE: 17	
	197	ctgtctgtct cactattaga accetttaga gtcatgcgtc gcgaggcaac gc	52
	199	<210> SEQ ID NO: 18	
	200	<211> LENGTH: 20	
	201	<212> TYPE: DNA	
	202	<213> ORGANISM: Artificial sequence	
	204	<220> FEATURE:	
	206	<223> OTHER INFORMATION: Oligonucleotide	
<w< th=""><th>207</th><th>&lt;400&gt; SEQUENCE: 18</th><th></th></w<>	207	<400> SEQUENCE: 18	
	208	gaaaccacgt accggcgtgt	20
	210	<210> SEQ ID NO: 19	
	211	<211> LENGTH: 13	
	212	<212> TYPE: DNA	
	213	<213> ORGANISM: Artificial sequence	
	215	<220> FEATURE:	
	216	<223> OTHER INFORMATION: Oligonucleotide	
<w< th=""><th>217</th><th>&lt;400&gt; SEQUENCE: 19</th><th></th></w<>	217	<400> SEQUENCE: 19	
	218	ctttggtcga tgg	13
	220	<210> SEQ ID NO: 20	
	221	<211> LENGTH: 26	
	222	<212> TYPE: DNA	
	223	<213> ORGANISM: Artificial sequence	
	225	<220> FEATURE:	
		<223> OTHER INFORMATION: Oligonucleotide	
W>		<400> SEQUENCE: 20	
	228	ctgcagatca tgcgccggat tgcccc	26
	230	<210> SEQ ID NO: 21	
	231	<211> LENGTH: 17	
		<212> TYPE: DNA	
	233	<213> ORGANISM: Artificial sequence	
	235	<220> FEATURE:	
		<223> OTHER INFORMATION: Oligonucleotide	
W>		<400> SEQUENCE: 21	
		gacgtctagt acgcggc	17
		<210> SEQ ID NO: 22	
		<211> LENGTH: 20	
		<212> TYPE: DNA	
	243	<213> ORGANISM: Artificial sequence	

### RAW SEQUENCE LISTING

DATE: 04/05/2007 PATENT APPLICATION: US/10/568,055 TIME: 07:49:03

Input Set : A:\10.568055 Seq List.txt Output Set: N:\CRF4\04052007\J568055.raw

#### 245 <220> FEATURE: 246 <223> OTHER INFORMATION: Primer W--> 247 <400> SEQUENCE: 22 248 caagtatgga tctcgaggtt 20 250 <210> SEQ ID NO: 23 251 <211> LENGTH: 20 252 <212> TYPE: DNA 253 <213> ORGANISM: Artificial sequence 255 <220> FEATURE: 256 <223> OTHER INFORMATION: Primer W--> 257 <400> SEQUENCE: 23 258 ctgttctaga ggtacctagt 20 260 <210> SEQ ID NO: 24 261 <211> LENGTH: 20 262 <212> TYPE: DNA 263 <213> ORGANISM: Artificial sequence 265 <220> FEATURE: 266 <223> OTHER INFORMATION: Primer W--> 267 <400> SEQUENCE: 24 268 ccttaagttg aacggagtcc 20 270 <210> SEQ ID NO: 25 271 <211> LENGTH: 20 272 <212> TYPE: DNA 273 <213> ORGANISM: Artificial sequence 275 <220> FEATURE: 276 <223> OTHER INFORMATION: Primer W--> 277 <400> SEQUENCE: 25 278 cttgactagc gcactaccag 20 280 <210> SEQ ID NO: 26 281 <211> LENGTH: 21 282 <212> TYPE: DNA 283 <213> ORGANISM: Artificial sequence 285 <220> FEATURE: 286 <223> OTHER INFORMATION: Primer W--> 287 <400> SEQUENCE: 26 288 ggcaggagaa ttttcagcat c 21 290 <210> SEQ ID NO: 27 291 <211> LENGTH: 8 292 <212> TYPE: PRT 293 <213> ORGANISM: Bacillus subtilis 295 <400> SEQUENCE: 27 296 Glu Val Lys Tyr Asp Gly Tyr Arg 297 1 299 <210> SEQ ID NO: 28 300 <211> LENGTH: 8 301 <212> TYPE: PRT 302 <213> ORGANISM: Bacillus subtilis 304 <400> SEQUENCE: 28 305 Leu Thr Leu Asp Gly Glu Ile Val

RAW SEQUENCE LISTING ERROR SUMMARY PATENT APPLICATION: US/10/568,055

DATE: 04/05/2007 TIME: 07:49:04

FYI

Input Set : A:\10.568055 Seq List.txt
Output Set: N:\CRF4\04052007\J568055.raw

### Please Note:

Use of n and/or Xaa have been detected in the Sequence Listing. Please review the Sequence Listing to ensure that a corresponding explanation is presented in the <220> to <223> fields of each sequence which presents at least one n or Xaa.

Seq#:62; Xaa Pos. 2,5
Seq#:63; Xaa Pos. 1,2,5,6
Seq#:64; Xaa Pos. 1,4
Seq#:65; Xaa Pos. 3,4,5

DATE: 04/05/2007

#### VERIFICATION SUMMARY

PATENT APPLICATION: US/10/568,055 TIME: 07:49:04

```
L:33 M:283 W: Missing Blank Line separator, <400> field identifier
L:44 M:283 W: Missing Blank Line separator, <400> field identifier
L:55 M:283 W: Missing Blank Line separator, <400> field identifier
L:66 M:283 W: Missing Blank Line separator, <400> field identifier
L:76 M:283 W: Missing Blank Line separator, <400> field identifier
L:86 M:283 W: Missing Blank Line separator, <400> field identifier
L:96 M:283 W: Missing Blank Line separator, <400> field identifier
L:106 M:283 W: Missing Blank Line separator, <400> field identifier
L:116 M:283 W: Missing Blank Line separator, <400> field identifier
L:126 M:283 W: Missing Blank Line separator, <400> field identifier
L:136 M:283 W: Missing Blank Line separator, <400> field identifier
L:146 M:283 W: Missing Blank Line separator, <400> field identifier
L:156 M:283 W: Missing Blank Line separator, <400> field identifier
L:166 M:283 W: Missing Blank Line separator, <400> field identifier
L:176 M:283 W: Missing Blank Line separator, <400> field identifier
L:186 M:283 W: Missing Blank Line separator, <400> field identifier
L:196 M:283 W: Missing Blank Line separator, <400> field identifier
L:207 M:283 W: Missing Blank Line separator, <400> field identifier
L:217 M:283 W: Missing Blank Line separator, <400> field identifier
L:227 M:283 W: Missing Blank Line separator, <400> field identifier
L:237 M:283 W: Missing Blank Line separator, <400> field identifier
L:247 M:283 W: Missing Blank Line separator, <400> field identifier
L:257 M:283 W: Missing Blank Line separator, <400> field identifier
L:267 M:283 W: Missing Blank Line separator, <400> field identifier
L:277 M:283 W: Missing Blank Line separator, <400> field identifier
L:287 M:283 W: Missing Blank Line separator, <400> field identifier
L:612 M:283 W: Missing Blank Line separator, <220> field identifier
L:623 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:62 after pos.:0
L:633 M:283 W: Missing Blank Line separator, <220> field identifier
L:649 M:341 W: (46) "n" or "Xaa" used, for SEO ID#:63 after pos.:0
L:659 M:283 W: Missing Blank Line separator, <220> field identifier
L:670 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:64 after pos.:0
L:681 M:283 W: Missing Blank Line separator, <220> field identifier
L:687 M:341 W: (46) "n" or "Xaa" used, for SEQ ID#:65 after pos.:0
L:878 M:283 W: Missing Blank Line separator, <400> field identifier
L:888 M:283 W: Missing Blank Line separator, <400> field identifier
L:898 M:283 W: Missing Blank Line separator, <400> field identifier
L:908 M:283 W: Missing Blank Line separator, <400> field identifier
L:918 M:283 W: Missing Blank Line separator, <400> field identifier
```